

GlammFire

Fireplaces Outdoor 3D Water Vapour Automatic burners

Thales
Eudoxus
Pythagoras
York
Apollo IV
Crystal
Hypnosz
Urban
GlammBox
Loft

Cosmo 13
Stravaganza
Zarzuela
Circus
Operetta
Vaudeville
Mime
La Bohème
Intermezzo
Hyperion

York 500 and 1000
GlammBox 3D Plus

Crea7tionEV0Plus Fire Lines
Crea7tionEV0Plus Fire Round
Gas combustion zone · round
Gas combustion zone · rectangular
Kit Glamm 3D Plus 500 and 1000

glamm[®]
fire

glamm®
fire

About

Crea7ionEVOPlus fireplaces

Index

Outdoor

3D Water Vapour

-  Firewood
-  Charcoal
-  Gas
-  Bioethanol
-  Oven
-  3D Water Vapour

Automatic burners

Technical information

4	Craftsmanship
8	Bespoke product programme
14	Thales
18	Eudoxus
22	Pythagoras
26	York
30	Apollo IV
32	Crystal
34	Hypnosz
36	Urban
38	GlammBox
42	Loft
46	Cosmo 13
50	Stravaganza
54	Zarzuela
58	Circus
62	Operetta
64	Vaudeville
68	Mime
72	La Bohème
76	Intermezzo
80	Hyperion
86	York 500 and 1000
90	GlammBox 3D Plus
94	Crea7tionEVOPlus Fire Lines
96	Crea7tionEVOPlus Fire Round
98	Gas combustion zone · round
100	Gas combustion zone · rectangular
102	Kit Glamm 3D Plus 500 and 1000
104	

Time. Nowadays it is one of the most scarce and valuable assets. And time is what we dedicate to each one of our pieces.

Installed in Monção, in a village in the north of Portugal where time still flows more calmly, we select the best artisans. The knowledge of decades is deposited in every work through their experienced and wise hands.

Craftsmanship

Love and time are deposited in each of the fireplaces that leave our factory and are distributed by the most exclusive homes and locations around the world.





Craftsmanship

The Bespoke team adapts and customizes the product to your needs and dreams.

Unique pieces idealized by you and materialized by our experienced artisans. It is a meticulous, precise work which adds value and exclusivity to each product.

With high quality, durable and safe materials, the know-how and the attention to detail of our team allow us to offer you premium products and services.



Bespoke product programme

A range of bioethanol fireplaces with consumption optimization. A simply innovative system, equipped with an intuitive interface and the most advanced security and interactivity features.

Crea7ionEVOPlus fireplaces



Thales

A versatile and adjustable piece that discovers the beauty of the integral view of the flame.

The possibility of rotating the two main components opens the way for the contemplation of a flame that seizes the surrounding environment.

Thales shows a luxurious golden finishing in a black lacquered steel and the latest technology of the automatic Crea7ionEVOPlus Fire Round.

Dimensions

1100 Ø x 2500–2700 h mm
to 2500–2700 mm of ceiling height

Autonomy

15–25 hours

For more technical information and options available,
please consult **page 106**.



Thales shows a minimalist and elegant black lacquered steel finishing and the latest technology of the automatic Crea7ionEVOPlus Fire Round.

Crea7ionEVOPIplus fireplaces



Eudoxus

The serenity that transcends the line of fire of Eudoxus - This characterizes this double face piece whose admiration of the fire culminates in a state of total tranquility consummated by the dazzling environments shaped by the flame.

Eudoxus shows the automatic fire line through a double face fireplace in a black lacquered steel finishing.

Dimensions

1200 w x 1200 d x 2200–2400 h mm
to 2500–2700 mm of ceiling height

Autonomy


6–8 hours

For more technical information and options available,
please consult **page 106**.



Crea7ionEVOPIplus fireplaces





Crea7ionEVOPIplus fireplaces



Pythagoras

The magnificence of the straight lines of the geometric shape of a triangle merge on each side culminating in defined and long edges, making this masterpiece something imposing.

Pythagoras shows a black lacquered diamond with the latest technology of the automatic Crea7ionEVOPlus Fire Round in the middle.

Dimensions

1220 w x 1055 d x 2650 h mm
to 2700 mm of ceiling height

Autonomy

15–25 hours

For more technical information and options available,
please consult **page 107**.







York

York is a bioethanol fireplace with its eyes set on an elegant future that does not leave the charm of the past. It creates an elegant and comfortable environment.

York shows a design in a black lacquered steel finishing with brushed stainless steel corners and an automatic fire line to be embedded in traditional fireplaces.

Dimensions

910 w x 350 d x 280 h mm

Autonomy

6–8 hours

For more technical information and options available, please consult [page 107](#).





A close-up, low-angle shot of a modern fireplace. The fire is contained within a dark, angular metal housing. The flames are bright orange and yellow, dancing upwards from a series of horizontal slots at the base. The background is dark, making the fire stand out.

Crea7ionEVOPlus fireplaces



Apollo IV

The irreverence of the details highlights a unique identity.

The latest Crea7ionEVOPlus technology coupled with premium materials and bold design sets the personality of this wall-mounted bioethanol fireplace.



Apollo IV shows an automatic wall-mounted fireplace in a unique rusted corten steel finishing.

Dimensions

1628 w x 243 d x 870 h mm

Autonomy

5–6 hours

For more technical information and options available, please consult page 108.



Crystal

Crystal Crea7ionEVOPlus is a visually intriguing wall-mounted model, the result of a remarkable combination of modern design and the quality of finishings.



Crystal shows an automatic wall-mounted fireplace in black lacquered steel and rusted corten steel finishing.

Dimensions

1100 w x 293 d x 750 h mm

Autonomy

6–8 hours

For more technical information and options available, please consult **page 108**.



Hypnosz

The eyes cannot detach themselves from the mesmerizing shapes and colours of a wall-mounted bioethanol fireplace that captivates anyone.

Hypnosz has the power to grab attention.

Hypnosz shows an automatic wall-mounted fireplace in rusted corten steel and golden finishings.

Dimensions

700 w x 225 d x 1100 h mm

Autonomy

7–8 hours

For more technical information and options available,
please consult **page 109**.

The background features a series of concentric, swirling lines in shades of gold, brown, and black, creating a dynamic, organic pattern.

Crea7ionEVOPlus fireplaces



Urban

High-quality materials, attractive lines
and customization possibilities unite
this bioethanol fireplace.

Make your environments more
peaceful and familiar.





Urban shows a double face black lacquered steel body held by a polished stainless steel struture.

Dimensions

1615 w x 400 d x 926 h mm

Autonomy

5–6 hours

For more technical information and options available, please consult **page 109**.



GlammBox

Details such as their lines, resistance of structure and quality of materials stress the personality of these models, which offer endless possibilities in terms of installation and use.

GlammBox Crea7ionEVOPlus shows an integrated box in a black lacquered steel finishing with an automatic fire line included.

Dimensions

From 800 w x 360 d x 400 h
to 2000 w x 417 d x 400 h

Autonomy

3–8 hours

For more technical information and options available,
please consult **page 110**.









Loft

A simple and robust shape with a new concept. The Loft Crea7ionEVOPlus contributes to a comfortable and welcoming living space.





Loft shows a linear fireplace in a rusted corten steel finishing with an automatic fire line.

Dimensions

2500 w x 428 d x 613 h mm

Autonomy

5–6 hours

For more technical information and options available, please consult [page 111](#).

The best collection of outdoor fireplaces perfect for your backyard including not only fire pits, barbecues, round and rectangular combustion zones but also gas heaters.

Outdoor



Cosmo 13



The refinement and quality of the materials make it the highlight piece for outdoor living.

Its unique design turns any space into luxury and good taste landscapes.




Cosmo 13 shows a detailed fire pit in a black lacquered steel finishing and brushed stainless steel concave combustion.

Dimensions

1140 Ø x 330 h mm

For more technical information and options available, please consult [page 111](#).





Stravaganza shows a fire pit in a rusted corten steel and black lacquered steel finishings with a brushed stainless steel firewood combustion zone.

Dimensions

1678 x 486 h mm

For more technical information and options available, please consult [page 112](#).





Zarzuela



A round shape fire pit with lacquered carbon steel benches appealing to share memorable moments around the fire.



Zarzuela shows a concrete fire pit with a brushed stainless steel firewood combustion zone.

Dimensions

Body · 1500 Ø x 420 h mm

Benches (unit) · 1950 w x 518 d x 407 h mm

For more technical information and options available, please consult [page 113](#).







Circus



Circus brings you comfort through its fiery warmth and comfortable seats that can be easily stored around the central unit and endure weather conditions.





Circus shows an amusing fire pit with benches in a lemon fabric and a black lacquered steel body.

Dimensions

1510 Ø x 406 h mm

For more technical information and options available,
please consult **page 114**.







Operetta



Happiness is made of small moments that lift us to another dimension.



The Operetta is a fire pit simultaneously discreet and robust, elegant and simple.





Operetta shows a sophisticated fire pit in a black lacquered steel finishing with a brushed stainless steel gas combustion zone.

Dimensions

1066 Ø x 419 h mm

For more technical information and options available, please consult **page 115**.



Vaudeville



A mixture of traits that reveal an instantly identifiable personality.



Vaudeville is a call to the outdoor fruition. With its futuristic, robust and unique look, it is the spotlight wherever it is placed.





Vaudeville shows a trendy fire pit in a black lacquered steel finishing with a brushed stainless steel firewood combustion zone.

Dimensions

2000 Ø x 480 h mm

For more technical information and options available, please consult **page 116**.







Mime



Wood, gas or bioethanol. Straight lines with different forms of fuel are available to use in this fire pit.



Thought to store firewood in its gaps.





Mime shows an asymmetric fire pit in black lacquered steel and brushed stainless steel plates with a brushed stainless steel firewood combustion zone.

Dimensions

1492 Ø x 308 h mm

For more technical information and options available, please consult [page 117](#).









La Bohème



The boldness of a barbecue with elegance enhanced by the black colour.



A model with charcoal or gas grill and with an oven that allows cooking all kinds of outdoor meals, appealing to family life. A real show inside and outside.



La Bohème shows a sophisticated craftsmanship barbecue in AISI 316 brushed stainlees steel and AISI 316 black lacquered stainlees steel with a charcoal grill.


Dimensions

from 2500 w x 660 d x 1457 h mm
to 3387 w x 660 d x 1457 h mm

For more technical information and options available,
please consult **page 118**.







Outdoor



Intermezzo



In full symbiosis with Nature,
Intermezzo is a break in everyday
routine, an invitation to taste life.

This barbecue includes an
adjustable grill and allows a
closing design in the front side.

Intermezzo shows a rusted corten steel
and a brushed AISI 316 stainless steel
firewood/charcoal combustion zone.

Dimensions

800 Ø x 2130 h mm

For more technical information and options available,
please consult **page 118**.







Hyperion

Romance becomes even cosier with the Hyperions, bringing with it a new source of inspiration.

Feasible to your dreams and wishes.

Hyperion shows a bold design as an outdoor gas heater with different types of finishings.

Dimensions

700 Ø x 2100 h mm

Fuel

Propane gas / Butane gas

For more technical information and options available,
please consult **page 119**.





A new way of feeling the fire.

Equipped with the most advanced and innovative 3D eco-friendly technology, the 3D electric fireplaces guarantee you a simple and safe use due to the effective operation of the water vapour release system.

3D Water Vapour

000

York 500 and 1000

Easy to assemble and use. These are electrical models that can be integrated in a traditional fireplace in any type of environment. A great sensation of real fire.



York 1000 shows an electric fireplace in
rusted corten steel with corners in brushed
stainless steel.

Dimensions

York 500 · 654 w x 452 d x 283 h mm
York 1000 · 1164 w x 452 d x 283 h mm

Autonomy

8 hours

For more technical information and options available,
please consult **page 119**.





000

GlammBox 3D Plus

The operation of the 3D system combines the use of one of the latest technologies: the LED. The system provides a virtual flame with an incredibly realistic expression.

GlammBox 3D Plus shows an integrated box in a black lacquered steel finishing with an electric fire line included.

Dimensions

From 770 w x 388 d x 400 h mm
to 3327 w x 388 d x 400 h mm

Autonomy

8 hours

For more technical information and options available,
please consult [page 120](#).



Available in linear or round burner with customizable finishings, it includes an advanced electronic system that includes remote control, display and several safety sensors. The most real flame in the world along with the safest burner on the market.

Automatic burners



Crea7tionEVOPlus Fire Lines

Crea7ionEVOPlus is the union between technology and innovation. An automatic burner with local filling system, consumption optimization and several safety sensors.





Crea7ionEVOPlus Fire Line shows an automatic and safe fire line in a black titanium-coated brushed stainless steel finishing.

Dimensions

Customizable in various sizes from 400 to 2400mm

For more technical information and options available, please consult **page 121**.



Crea7ionEVOPlus Fire Round

An exclusive automatic round burner.
The key words of this model are:
safety, autonomy and technology.

Made to fit into any surface.

Crea7ionEVOPlus Fire Round shows an automatic and safe round fire with a black titanium-coated polished stainless steel "Mirror" finishing.

Dimensions

Without glass · 500 Ø x 200 h mm
With glass · 500 Ø x 310 h mm

Autonomy

15–25 hours

For more technical information and options available,
please consult **page 122**.





Gas combustion zone • round

A safe automatic round gas burner. that can be inserted in a complete versatility. It can be adapted to the most different environments and pieces.

Beautiful flames anywhere, anytime.



Gas combustion zone - round shows an automatic outdoor circular gas insert with a brushed AISI 316 stainless steel finishing.

Dimensions

654 Ø x 276 h mm

Fuel

Propane gas / Butane gas / Natural gas

For more technical information and options available,
please consult **page 122**.



Gas combustion zone • rectangular

The balance between beauty and autonomy exists in a rectangular shape. The system creates a truly heartwarming flame that makes anyone fall in love for it.



Gas combustion zone - rectangular shows
an automatic outdoor linear gas insert with
a brushed AISI 316 stainless steel finishing.

Dimensions

From 1000 w x 300 d x 310 h mm
to 3000 w x 300 d x 310 h mm

Fuel

Propane gas / Butane gas / Natural gas

For more technical information and options available,
please consult **page 123**.

000

Kit Glamm 3D Plus 500 and 1000

Owing to the use of 3D technology they also provide an incredible sense of visual comfort and aesthetic balance.

The beauty of the spaces lies in the details.

Kit Glamm 3D Plus 500 and 1000 show an electric fire line in a black lacquered steel finishing.

Dimensions

Kit Glamm 3D Plus 500 · 508 w x 305 d x 230 h

Kit Glamm 3D Plus 1000 · 1017 w x 305 d x 230 h

Autonomy

8 hours

For more technical information and options available,
please consult **page 123**.



Automatic burners

Technical information

Thales

Fireplace

Materials

Steel

Finishings

Black lacquered steel
Black lacquered steel with golden inside · optional

Dimensions

1100 Ø x 2500–2700 h mm
to 2500–2700 mm of ceiling height

Weight

235 kg

Accessories

High temperature resistant glass · included

Combustion zone

Model

Crea7tionEVOPlus Fire Round

Finishings

Black titanium-coated brushed stainless steel
Black titanium-coated polished stainless steel · optional

Fuel

Bioethanol

Tank


10 L (liquid bioethanol)

Power

2–4 kW

Autonomy

15–25 hours



Eudoxus

Fireplace

Materials

Steel

Finishings

Black lacquered steel

Dimensions

1200 w x 1200 d x 2200–2400 h mm
to 2500–2700 mm of ceiling height

Weight

184 kg

Combustion zone

Model

Crea7tionEVOPlus Fire Line 400

Finishings

Black titanium-coated brushed stainless steel
Black titanium-coated polished stainless steel · optional

Fuel

Bioethanol

Tank


3 L (liquid bioethanol)

Power

2,25 kW

Autonomy

6–8 hours



Pythagoras

Fireplace

Materials

Steel

Finishings

Black lacquered steel

Dimensions

1220 w x 1055 d x 2650 h mm
to 2700 mm of ceiling height

Weight

154 kg

Accessories

High temperature resistant glass · included

Combustion zone

Model

Crea7ionEvoPlus Fire Round

Finishings

Black titanium-coated brushed stainless steel

Black titanium-coated polished stainless steel · optional

Fuel

Bioethanol

Tank

10 L (liquid bioethanol)

Power

2-4 kW

Autonomy

15-25 hours

York

Fireplace

Materials

Steel, stainless steel or corten steel

Finishings

Black lacquered steel. Corners in brushed stainless steel
Rusted corten steel. Corners in black lacquered steel · optional
Brushed stainless steel. Corners in black lacquered steel · optional

Dimensions

910 w x 350 d x 280 h mm

Weight

33 kg

Combustion zone

Model

Crea7ionEVOPlus Fire Line 400

Fuel

Bioethanol

Tank

3 L (liquid bioethanol)

Power

2,25 kW


Autonomy

6-8 hours

Option box

For more information check our website

www.glaammfire.com



30-31

Apollo IV

Fireplace

Materials

Steel, stainless steel or corten steel

Finishings

Brushed stainless steel
Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

1628 w x 243 d x 870 h mm

Weight

110 kg

Recommended minimum area

29 sqm

Combustion zone

Length

800 mm

Materials

Black ceramic-coated brushed stainless steel

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank

5 L (liquid bioethanol)

Power

4,5 kW

Autonomy

5–6 hours

32-33

Crystal

Fireplace

Materials

Steel or corten steel

Finishings

Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

1100 w x 293 d x 750 h mm

Weight

87 kg

Recommended minimum area

14 sqm

Combustion zone

Length

400 mm

Materials

Black ceramic-coated brushed stainless steel

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank


3 L (liquid bioethanol)

Power

2,25 kW

Autonomy

6–8 hours



Hypnosz

Fireplace

Materials

Steel or corten steel

Finishings

Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

700 w x 225 d x 1100 h mm

Weight

88 kg

Recommended minimum area

9 sqm

Combustion zone

Length

250 mm

Materials

Black ceramic-coated brushed stainless steel

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank


3 L (liquid bioethanol)

Power

1,4 kW

Autonomy

7–8 hours



Urban

Fireplace

Materials

Steel or corten steel

Polished steel

Finishings

Lacquered steel
Rusted corten steel

Dimensions

1615 w x 400 d x 926 h mm

Weight

135 kg

Recommended minimum area

29 sqm

Accessories

High temperature resistant glass · included

Combustion zone

Model

Crea7ionEVOPlus Fire Line 800

Materials

Black ceramic-coated brushed stainless steel

Finishings

Polished stainless steel

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank


5 L (liquid bioethanol)

Power

4,5 kW

Autonomy

5–6 hours



GlammBox Crea7ionEVOPlus

Box

Materials

Steel or stainless steel

Finishings

Lacquered steel
Brushed stainless steel

Dimensions

From 800 w x 360 d x 400 h
to 2000 w x 417 d x 400 h

Weight

55-154 kg

Recommended minimum area

15-59 sqm

Combustion zone

Materials

Black ceramic-coated brushed stainless steel

Finishings

Brushed stainless steel
Black titanium-coated brushed stainless steel
Black titanium-coated polished stainless steel · optional
Polished stainless steel · optional
White lacquered stainless steel · optional

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank

3L, 5L and 8 L (liquid bioethanol)

Power

2,25-9 kW

Autonomy

3-8 hours



GlammBox Crea7ionEVOPlus 1000

Model	Dimensions (mm)		Weight (kg)	Combustion zone	Power (kW)	Autonomy (hours)		Tank (L)	Recommended min. area (sqm)
	Interior	Exterior				min.	max.		
800	800 w x 360 d x 400 h								
	864 w x 392 d x 595 h		35	400	2	6	8	3	15
800DF	800 w x 417 d x 400 h								
	864 w x 417 d x 595 h								
1000	1000 w x 360 d x 400 h								
	1064 w x 392 d x 595 h								
1000DF	1000 w x 417 d x 400 h								
	1064 w x 417 d x 595 h		42	600	3,4	4	5	3	21
1200	1200 w x 360 d x 400 h								
	1264 w x 392 d x 595 h								
1200DF	1200 w x 417 d x 400 h								
	1264 w x 417 d x 595 h								
1600	1600 w x 359,5 d x 400 h								
	1666 w x 393 d x 597 h								
1600DF	1600 w x 417 d x 400 h								
	1666 w x 417 d x 597 h								
2000	2000 w x 359,5 d x 400 h								
	2066 w x 393 d x 597 h								
2000DF	2000 w x 417 d x 400 h								
	2066 w x 417 d x 597 h		92	1600	9	4	5,5	8	59

DF - Double-face models

Loft

Fireplace

Materials

Steel or corten steel
Black high temperature resistant glass

Finishes

Lacquered steel
Varnished corten steel
Rusted corten steel · optional

Dimensions

2500 w x 428 d x 613 h mm

Weight

155 kg

Recommended minimum area

29 sqm

Accessories

High temperature resistant glass · included

Combustion zone

Model

Crea7ionEVOPlus Fire Line 800

Materials

black ceramic-coated brushed stainless steel

Finishes

Brushed stainless steel
Black titanium-coated brushed stainless steel
Polished stainless steel · optional
Black titanium-coated polished stainless steel · optional
White lacquered stainless steel · optional

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank

5 L (liquid bioethanol)

Power

4,5 kW

Autonomy

5-6 hours



Cosmo 13

Fire pit

Materials

Stainless steel or corten steel

Finishes

Lacquered steel
Rusted corten steel · optional

Dimensions

1140 Ø x 330 h mm

Weight

148 kg

Accessories

Ash vacuum cleaner · included
Protection cover and barbecue mitt · included
Barbecue accessories · included
Round glass · optional

Combustion zone

Materials


Concave combustion · AISI 316 stainless steel

Finishes

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal



Stravaganza

Fire pit

Materials

Steel or corten steel

Finishings

Black lacquered steel
Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

1678 x 486 h mm

Weight

222 kg

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional
High temperature resistant round glass · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7tionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



Zarzuela

Fire pit

Materials

Body · cement
Benches · steel or corten steel

Benches finishings

Black lacquered
Rusted corten steel · optional
Stainless steel · optional

Dimensions

Body · 1500 Ø x 420 h mm
Benches (unit) · 1950 w x 518 d x 407 h mm

Weight

Body · 450 kg
Benches · 82 kg/unit

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional
High temperature resistant round glass · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7tionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



Circus

Fire pit

Materials

Body · steel or corten steel
Benches · weather-resistant outdoor upholstery fabric

Finishings

Lacquered steel
Rusted corten steel

Dimensions

1510 Ø x 406 h mm

Weight

164 kg

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7ionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



Operetta

Fire pit

Materials

Steel or corten steel

Finishings

Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

1066 Ø x 419 h mm

Weight

52 kg

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7ionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



Vaudeville

Fire pit

Materials

Steel or corten steel

Finishings

Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

2000 Ø x 480 h mm

Weight

192 kg

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7ionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



Mime

Fire pit

Materials

Steel or corten steel
AISI 316 stainless steel

Finishings

Lacquered steel
Rusted corten steel
Varnished corten steel

Dimensions

1492 Ø x 308 h mm

Weight

224 kg

Combustion zone

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal / Gas / Bioethanol

Option firewood / charcoal

Accessories

Ash vacuum cleaner · included
Protection cover · included
Barbecue mitt · included
Cooking grill · optional
Spark screen and fuel compartment cover · optional

Option gas

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Consumption

Propane gas / Butane gas · 860–2300 g/h
Natural gas · 1,4–3,7 m³/h

Power

5–20 kW

Accessories

Protection cover · included
Barbecue mitt · included
Combustion zone decorative stones · optional
Spark screen and fuel compartment cover · optional

Option bioethanol

Burner I

Tank · 2 L (liquid bioethanol)
Power · 2,7 kW

Burner Crea7ionEVOPlus Fire Round


Tank · 10 L (liquid bioethanol)
Power · 2–4 kW

Ignition mode

Remote control

Accessories

Protection cover · included
Barbecue mitt · included
High temperature resistant round glass · included



La Bohème

Barbecue

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Black lacquered steel AISI 316 stainless steel

More finishings available upon request

Weight

400–500 kg

Accessories

Ash vacuum cleaner · included

Protection cover · included

Barbecue mitt · included

Cooking grill · included

Black tempered glass · optional

Option charcoal

Dimensions

2500 w x 660 d x 1457 h mm

Option charcoal grill + gas hob

Dimensions

2995 w x 660 d x 1457 h mm

Option gas grill + oven


Dimensions

3077 w x 660 d x 1457 h mm

Option gas grill + oven + gas hob

Dimensions

3387 w x 660 d x 1457 h mm



La Bohème · option charcoal

Intermezzo

Barbecue

Materials

Steel or corten steel

AISI 316 stainless steel

Finishings

Lacquered steel

Rusted corten steel

Varnished corten steel

Dimensions

800 Ø x 2130 h mm

Weight

334 kg

Accessories

Ash vacuum cleaner · included

Protection cover · included

Barbecue mitt · included

Cooking grill · included

Sauce strainer · optional

Combustion zone

Materials


AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Fuel

Firewood / Charcoal



Hyperion

Outdoor gas heater

Materials

Steel or corten steel
AISI 316 stainless steel

Finishings

Brushed AISI 316 stainless steel

Dimensions

700 Ø x 2100 h mm

Weight

65-90 kg

Accessories

Protection cover · optional

Combustion zone

Fuel

Propane gas / Butane gas

Ignition mode

Remote control

Consumption

Butane gas · max. 870 g/h
Propane gas · max. 820 g/h

Power

max. 12 kW



York 500 and 1000

Fireplace

Materials

Steel, stainless steel or corten steel

Finishings

Black lacquered steel. Corners in brushed stainless steel
Rusted corten steel. Corners in black lacquered steel
Brushed stainless steel. Corners in black lacquered steel

Dimensions

York 500 · 654 w x 452 d x 283 h mm

York 1000 · 1164 w x 452 d x 283 h mm

Accessories

Decorative top plate · included

Combustion zone

Model

York 500 · Kit Glamm 3D Plus 500
York 1000 · Kit Glamm 3D Plus 1000

Ignition mode

Remote control

Tank

York 500 · 1,3 L [filtered water]
York 1000 · 2,6 L [filtered water]

Voltage

220 / 240 V / 50 Hz

Autonomy

8 hours

Option box

For more information check our website
www.glaammfire.com



York 500



York 1000

GlammBox 3D Plus

Box

Materials

Steel

Finishing

Black lacquered steel

Dimensions

From 770 w x 388 d x 400 h mm
to 3327 w x 388 d x 400 h mm

Weight

22-73 kg

Accessories

Black glass · optional

Decorative wood · optional

Combustion zone

Ignition mode

Remote control

Tank


1,3-7,8 L (filtered water)

Voltage

220 / 240 V / 50 Hz

Autonomy

8 hours



GlammBox 3D Plus 1000

Model	Dimensions (mm)		Weight (kg)	Combustion zone	Tank (L)	Voltage	Autonomy (hours)
500	Interior	770 w x 388 d x 400 h	22	1 x Kit Glamm 3D Plus 500	1,3		
	Exterior	813 w x 400 d x 654 h					
1000	Interior	1279 w x 388 d x 400 h	32	1 x Kit Glamm 3D Plus 1000	2,6		
	Exterior	1322 w x 400 d x 654 h					
1500	Interior	1794 w x 388 d x 400 h	43	1 x Kit Glamm 3D Plus 1000	3,9	220 V	
	Exterior	1837 w x 400 d x 654 h		+ 1 x Kit Glamm 3D Plus 500		240 V	
2000	Interior	2303 w x 388 d x 400 h	53	2 x Kit Glamm 3D Plus 1000	5,2	50 Hz	8
	Exterior	2346 w x 400 d x 654 h					
2500	Interior	2818 w x 388 d x 400 h	63	2 x Kit Glamm 3D Plus 1000	6,5		
	Exterior	2861 w x 400 d x 654 h		+ 1 x Kit Glamm 3D Plus 500			
3000	Interior	3327 w x 388 d x 400 h	73	3 x Kit Glamm 3D Plus 1000	7,8		
	Exterior	3370 w x 400 d x 654 h					

Crea7ionEVOPlus Fire Lines

Automatic fire line

Materials

Stainless steel

Finishings

Brushed stainless steel

Black titanium-coated brushed stainless steel

Polished stainless steel · optional

Black titanium-coated polished stainless steel · optional

White lacquered stainless steel · optional

Combustion zone

Materials

Black ceramic coated brushed stainless steel

Dimensions

Customizable in various sizes from 400 to 2400mm

Fuel

Bioethanol

Ignition mode

Remote control and display


Tank

3 L, 5 L, 8 L and 10 L (liquid bioethanol)

Filling system

Local filling system · included

Automatic displaced filling system · optional



Crea7ionEVOPlus 400 Fire Line

Model	Dimensions (mm)		Weight (kg)	Power (kW)	Autonomy (hours)		Tank (L)	Recommended min. area (sqm)
	Model	Built in hole			min.	max.		
400	766 w x 210 d x 160 h	746 w x 190 d x >170 h	21	2	6	8	3	15
600	955 w x 210 d x 160 h	930 w x 190 d x >170 h	23,5	3,4	4	5	3	21
800	1166 w x 210 d x 160 h	1146 w x 190 d x >170 h	29	4,5	5	6	5	29
1200	1566 w x 210 d x 160 h	1546 w x 190 d x >170 h	42	6,75	3	4	5	44
1600	1966 w x 210 d x 160 h	1946 w x 190 d x >170 h	51	9	4	5,5	8	59
2000	2366 w x 210 d x 160 h	2346 w x 190 d x >170 h	64	15	4	6	10	96
2400	2766 w x 210 d x 160 h	2746 w x 190 d x >170 h	73,5	17	3,5	5	10	110

Crea7ionEVOPlus Fire Round

Automatic fire round

Materials

Stainless steel

Finishings

Brushed stainless steel
Black titanium-coated brushed stainless steel
Polished stainless steel · optional
Black titanium-coated polished stainless steel · optional
White lacquered stainless steel · optional

Dimensions

Without glass · 500 Ø x 200 h mm
With glass · 500 Ø x 310 h mm

Weight

40 kg

Combustion zone

Materials

Black ceramic coated brushed stainless steel

Dimensions

130 Ø mm

Fuel

Bioethanol

Ignition mode

Remote control and display

Tank

10 L (liquid bioethanol)

Filling system


Local filling system · included
Automatic displaced filling system · optional

Power

2–4 kW

Autonomy

15–25 hours



Gas combustion zone · round

Automatic gas fire round

Materials

AISI 316 Stainless Steel

Finishings

Brushed AISI 316 Stainless Steel

Dimensions

654 Ø x 276 h mm

Accessories

Combustion zone decorative stones · optional
Decorative glass · optional
Set of 4 high temperature resistant glass · optional

Combustion zone

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode


Remote control

Type of combustion

Open

Power

5–20 kW



Gas combustion zone · rectangular Kit Glamm 3D Plus 500 and 1000

Automatic gas fire line

Materials

AISI 316 stainless steel

Finishings

Brushed AISI 316 Stainless Steel

Dimensions

From 1000 w x 300 d x 310 h mm
to 3000 w x 300 d x 310 h mm

Accessories

Combustion zone decorative stones · optional
Set of 4 high temperature resistant glass · optional

Combustion zone

Fuel

Propane gas / Butane gas / Natural gas

Ignition mode

Remote control

Type of combustion

Open

Power

19-57,6 kW

Electric fire line

Materials

Steel

Finishings

Black lacquered steel

Dimensions

Kit Glamm 3D Plus 500 · 508 w x 305 d x 230 h
Kit Glamm 3D Plus 1000 · 1017 w x 305 d x 230 h

Weight

Kit Glamm 3D Plus 500 · 14 kg
Kit Glamm 3D Plus 1000 · 26 kg

Ignition mode

Remote control

Capacity


Kit Glamm 3D Plus 500 · 1,3 L (filtered water)
Kit Glamm 3D Plus 1000 · 2,6 L (filtered water)

Voltage

220 / 240 V / 50 Hz

Autonomy

8 hours



Gas combustion zone · rectangular 1000



Kit Glamm 3D Plus 1000

Summary table

						
Thales	Fire Round					
Eudoxus	Fire Line					
Pythagoras	Fire Round					
York	Fire Line					3D Plus 500 /1000
Apollo IV	Fire Line					
Crystal	Fire Line					
Hypnosz	Fire Line					
Urban	Fire Line					
GlammBox	Fire Line					3D Plus 500 /1000
Loft	Fire Line					
Cosmo 13			Firewood	Charcoal		
Stravaganza	Fire Round	Gas Round	Firewood	Charcoal		
Zarzuela	Fire Round	Gas Round	Firewood	Charcoal		
Circus	Fire Round	Gas Round	Firewood	Charcoal		
Operetta	Fire Round	Gas Round	Firewood	Charcoal		
Vaudeville	Fire Round	Gas Round	Firewood	Charcoal		
Mime	Fire Round	Gas Round	Firewood	Charcoal		
La Bohème		Smeg grill		Charcoal	Oven	
Intermezzo			Firewood	Charcoal		
Hyperion		Gas Round				

GlammFire
Recuperadores Pachinha, Lda.

Zona Industrial da Lagoa, Lote G1
 4950-850 Monção
 Portugal

T. +351 251 654 800
 info@glammfire.com

www.glammfire.com

BB

XX

BB

Ø

□

OOO